

4.6 SOHC
Must have mufflers
Exhaust must exit behind driver.
Catalytic convertor may be removed
Transmission must be completely stock.
A.C. condenser must be removed.
SAFETY
Drivers must wear full fire suit, racing gloves, racing shoes and helmet while on track.
Hans device recommended.
Racing seat and belts mandatory.
Racing belt must have five (5) point system.
Fire extinguisher required in all cars.
TIRES/WHEELS
Tires must be DOT legal, and all four (4) tires must be the same size.
Wheels must be stock steel and all four(4) wheels must be same size and offset.
No wheel spacers of any kind.

WEIGHT

No adding ballast of any type to car.
BRAKES
Must remain factory stock, all four (4) corners must be operable.
REAR-END  Must be factory stock rear-end with stock components.
The only legal gears will be 2.73, 3.27 and 3.55.
Rear differential may be locked by any means necessary, but gear ratio rule remains the same (3.55 max gear).
FUEL Pump gas only! NO RACING FUEL! Stock fuel tank and fuel pump only.
THE ABSENCE OF A SPECIFIC RULE DOES NOT IMPLY APPROVAL, CONSET OR PERMISSION REGARDING THAT SUBJECT. ANY QUESTIONS OR DOUBTS SUCH MATTERS SHOULD BE DIRECTED TO RACETRACK OFFICIALS FOR A CLARIFICATION.